



## HUSQVARNA TS 138

The TS 138 is a user-friendly tractor ideal for homeowners having small to mid-size gardens. It is an efficient tractor with side ejection, smart design and ergonomics. The model features a powerful Husqvarna Series engine and convenient pedal-operated hydrostatic transmission. Can be complimented with a collector and BioClip® cover.



### Air Induction

Innovative Air Induction mowing system that draws clean air from the top and bottom of the deck, enhancing air flow which results in greater grass lift and superior cut.



### Adjustable sliding seat

Adjustable while seated; seat moves forward and backwards.

### Pedal-operated hydrostatic transmission

Speed and direction are managed by pedals, which lets you keep both hands on the steering wheel, for optimum driving control.



### Oversized steering wheel

Extra large and thick steering wheel for less steering effort and smoother operation



## FEATURES

- Pedal-operated hydrostatic transmission
- Adjustable seat, while seated
- Air Induction; excellent cutting performance
- Oversized steering wheel for less steering effort
- Easy to get operating with automatic choke.
- Hour meter with service minder
- Manual blade engagement
- Rugged frame
- Deck Wash Port
- Solid steel hood

Technical Specifications	
<b>BATTERY</b>	
Battery voltage	12 V
<b>CAPACITY</b>	
Power output	11.0 kW
Turning radius, min	16 in
<b>DIMENSIONS</b>	
Article gross weight	240404 g
Article net weight	176447 g
Base machine, height	88 cm
Base machine, length	178 cm
Base machine, width (chute down)	125 cm
Base machine, width (chute up)	102 cm
Base machine, width	125 cm
Cutting height adjuster	Fender-mounted
Cutting height adjustment	Central, spring-assisted
Cutting height steps	6
Cutting width	97 cm
Seat back height	Medium 13"
Tyre dimensions, front	15X6-6
Tyre dimensions, rear	18X9.5-8
Weight	180 kg
Wheelbase	122 cm
<b>ENGINE</b>	
Cylinders	1
Cylinder displacement	452 cm <sup>3</sup>
Engine cooling	Air
Engine name	Husqvarna Series
Generator	12 A
Motor/engine manufacturer	Husqvarna
Transmission manufacturer	Tuff Torq
Transmission model	K46
Transmission type	Hydrostatic
Fuel tank volume	5.7 l
Fuel tank volume	1.5 gal (US)
<b>EQUIPMENT</b>	
Air filter type	Auto-type Paper
Anti-scalp wheels	0
BioClip® kit	Available as accessory
Blade engagement	Manual
Blade type	High Performance
Blades	2 pcs
Collector	Available as accessory
Cup holder	Yes
Cutting deck type	Stamped
Cutting methods	Collect/Mulch/Side discharge
Deck Wash Port	Yes
Drive method	Pedal-operated
Front-End Protection	Available as accessory
Generator	12 A
Headlights	Yes
Hour meter type	Digital with pre-programmed service intervals
Powder-coated cutting deck	Yes
Seat type	13" high back
<b>LUBRICANTS</b>	
Engine lubrication type	Full pressure with oil filter
Fuel tank location	Rear
Oil capacity	1.2 l
Oil filter	Yes
Power/fuel type	Gasoline
<b>MATERIALS</b>	
Cutting deck material	Steel
Master pack: Paper + Cardboard	0 g
Metal total	0 g
Paper + Cardboard total	3568 g
PE total	55 g
PET total	0 g
Plastic foil	55 g

**Technical Specifications**

Plastic rigid	10 g
Plastic total	65 g
PS/EPS/HIPS total	0 g
Seat material	Vinyl
<b>SOUND AND NOISE</b>	
Sound power level, guaranteed (LWA)	105 dB(A)
Sound power level, measured	105 dB(A)
<b>PACKAGING</b>	
Packaging height	877 mm
Packaging length	1829 mm
Packaging volume	1873,51 dm <sup>3</sup>
Packaging width	1168 mm
Quantity in Master pack	1